

SOLVING A “HARD” PROBLEM TO
APPROXIMATE AN “EASY” ONE:
HEURISTICS FOR MAXIMUM MATCHINGS
AND MAXIMUM TRAVELING SALESMAN
PROBLEMS

by

SÁNDOR P. FEKETE HENK MEIJER
ANDRÉ ROHE WALTER TIETZE

No. 695/2000

Solving a “Hard” Problem to Approximate an “Easy” One: Heuristics for Maximum Matchings and Maximum Traveling Salesman Problems

Sándor P. Fekete*

Henk Meijer†

André Rohe‡

Walter Tietze§

Abstract

We consider geometric instances of the Maximum Weighted Matching Problem (MWMP) and the Maximum Traveling Salesman Problem (MTSP) with up to 3,000,000 vertices. Making use of a geometric duality between MWMP, MTSP, and the Fermat-Weber-Problem (FWP), we develop a heuristic approach that yields in near-linear time solutions as well as upper bounds. Using various computational tools, we get solutions within considerably less than 1% of the optimum.

An interesting feature of our approach is that, even though an FWP is hard to compute in theory and Edmonds’ algorithm for maximum weighted matching yields a polynomial solution for the MWMP, the practical behavior is just the opposite, and we can solve the FWP with high accuracy in order to find a good heuristic solution for the MWMP.

1 Introduction

Complexity in Theory and Practice.

In the field of discrete algorithms, the classical way to distinguish “easy” and “hard” problems

is to study their worst-case behavior. Ever since Edmonds’ seminal work on maximum matchings [7, 8], the adjective “good” for an algorithm has become synonymous with a worst-case running time that is bounded by a polynomial in the input size. At the same time, Edmonds’ method for finding a maximum weight perfect matching in a complete graph with edge weights serves as a prime example for a sophisticated combinatorial algorithm that solves a problem to optimality. Furthermore, finding an optimal matching in a graph is used as a stepping stone for many heuristics for hard problems.

The classical prototype of such a “hard” problem is the Traveling Salesman Problem (TSP) of computing a shortest roundtrip through a set P of n cities. Being NP-hard, it is generally assumed that there is no “good” algorithm in the above sense: Unless $P=NP$, there is no polynomial-time algorithm for the TSP. This motivates the performance analysis of polynomial-time heuristics for the TSP. Assuming triangle inequality, the best polynomial heuristic known to date uses the computation of an optimal weighted matching: Christofides’ method combines a Minimum Weight Spanning Tree (MWST) with a Minimum Weight Perfect Matching of the odd degree vertices, yielding a worst-case performance of 50% above the optimum.

Geometric Instances

Virtually all very large instances of graph optimization problems are geometric. It is easy to see why this should be the case for practical in-

*Fachbereich Mathematik, TU Berlin, 10623 Berlin, Germany, email: fekete@math.tu-berlin.de.

†Department of Computer Science, Queen’s University, Kingston, Ont K7L 3N6, Canada, email: henk@cs.queensu.ca.

‡Forschungsinstitut für Diskrete Mathematik, Universität Bonn, 53113 Bonn, Germany, email: rohe@or.uni-bonn.de.

§Fachbereich Mathematik, TU Berlin, 10623 Berlin, Germany, email: tietze@math.tu-berlin.de.

stances. In addition, a geometric instance given by n vertices in \mathbb{R}^d is described by only dn coordinates, while a distance matrix requires $\Omega(n^2)$ entries; even with today's computing power, it is hopeless to store and use the distance matrix for instances with, say, $n = 10^6$.

The study of geometric instances has resulted in a number of powerful theoretical results. Most notably, Arora [2] and Mitchell [15] have developed a general framework that results in polynomial time approximation schemes (PTAS's) for many geometric versions of graph optimization problems: Given any constant ϵ , there is a polynomial algorithm that yields a solution within a factor of $(1 + \epsilon)$ of the optimum. However, these breakthrough results are of purely theoretical interest, since the necessary computations and data storage requirements are beyond any practical orders of magnitude.

For a problem closely related to the TSP, there is a different way how geometry can be exploited. Trying to find a longest tour in a weighted graph is the so-called *Maximum Traveling Salesman Problem* (MTSP); it is easy to see that for graph instances, the MTSP is just as hard as the TSP. Making clever use of the special geometry of distances, Barvinok, Johnson, Woeginger, and Woodroffe [4] showed that for geometric instances in \mathbb{R}^d , it is possible to solve the MTSP in polynomial time, provided that distances are measured by a *polyhedral metric*, which is described by a unit ball with a fixed number $2f$ of facets. (For the case of Manhattan distances in the plane, we have $f = 2$, and the resulting complexity is $O(n^{2f-2} \log n) = O(n^2 \log n)$.) By using a large enough number of facets to approximate a unit sphere, this yields a PTAS for Euclidean distances.

Both of these approaches, however, do not provide practical methods for getting good solutions for very large geometric instances. And even though TSP and matching instances of considerable size have been solved to optimality (up to 13,000 cities with about 2 years of computing time [1]), it should be stressed that for large enough instances, it seems quite difficult to come up with small gaps within a very short (i.e., near-

linear in n) time. Moreover, the methods involved only use triangle inequality, and disregard the special properties of geometric instances.

For the *Minimum Weight Matching* problem, Vaidya [18] showed that there is algorithm of complexity $O(n^{2.5} \log^4 n)$ for planar geometric instances, which was improved by Varadarajan [19] to $O(n^{1.5} \log^5 n)$. Cook and Rohe [6] also made heavy use of geometry to solve instances with up to 5,000,000 points in the plane within about 1.5 days of computing time. However, all these approaches use specific properties of planar nearest neighbors. Cook and Rohe reduce the number of edges that need to be considered to about 8,000,000, and solve the problem in this very sparse graph. These methods cannot be applied when trying to find a *Maximum Weight Matching*. (In particular, a divide-and-conquer strategy seems unsuited for this type of problem, since the structure of furthest neighbors is quite different from the well-behaved "clusters" formed by nearest neighbors.)

Heuristic Solutions

A standard approach when considering "hard" optimization problems is to solve a closely related problem that is "easier", and use this solution to construct one that is feasible for the original problem. In combinatorial optimization, finding an optimal perfect matching in an edge-weighted graph is a common choice for the easy problem. However, for practical instances of matching problems, the number n of vertices may be too large to find an exact optimum in reasonable time, since the best complexity of an exact algorithm is $O(n(m + n \log n))$ [11] (where m is the number of edges)¹.

We have already introduced the Traveling Salesman Problem, which is known to be NP-hard, even for geometric instances. A problem that is hard in a different theoretical sense is the following: For a given set P of n points in \mathbb{R}^2 ,

¹Quite recently, Mehlhorn and Schäfer [14] have presented an implementation of this algorithm; the largest dense graphs for which they report optimal results have 4,000 nodes and 1,200,000 edges.

the Fermat-Weber Problem (FWP) is to minimize the size of a “Steiner star”, i.e., the total Euclidean distance $S(P) = \min_{c \in \mathbb{R}} \sum_{p \in P} d(c, p)$ of a point c to all points in P . It was shown in [3] that even for the case $n = 5$, solving this problem requires finding zeroes of high-order polynomials, which cannot be achieved using only radicals.

Solving the FWP and solving the geometric maximum weight matching problem (MWMP) are closely related: It is an easy consequence of the triangle inequality that $\text{MWMP}(P) \leq \text{FWP}(P)$. For a natural geometric case of Euclidean distances in the plane, it was shown in [10] that $\frac{\text{FWP}(P)}{\text{MWMP}(P)} \leq \frac{2}{\sqrt{3}} \approx 1.15$.

From a theoretical point of view, this may appear to assign the roles of “easy” and “hard” to MWMP and FWP. However, from a practical perspective, roles are reversed: While solving large maximum weight matching problems to optimality seems like a hopeless task, finding an optimal Steiner center c only requires minimizing a convex function. Thus, the latter can be solved very fast numerically (e.g., by Newton’s method) within any small ε . The twist of this paper is to use that solution to construct a fast heuristic for maximum weight matchings – thereby solving a “hard” problem to approximate an “easy” one. Similar ideas can be used for constructing a good heuristic for the MTSP.

Summary of Results.

It is the main objective of this paper to demonstrate that the special properties of geometric instances make them much easier *in practice* than general instances on weighted graphs. Using these properties gives rise to heuristics that construct excellent solutions in near-linear time, with very small constants. Since the analytic worst-case ratio of $\text{FWP}(P)/\text{MWMP}(P)$ is only $2/\sqrt{3} \approx 1.15$, it is certain that the difference to the optimum will never exceed 15%, but can be expected to be much less in practice.

This is validated by a practical study on instances up to 3,000,000 points, which can be dealt with in less than three minutes of computa-

tion time, resulting in error bounds of not more than about 3% for one type of instances, but only in the order of 0.1% for most others. The instances consist of the well-known TSPLIB, and random instances of two different random types, uniform random distribution and clustered random distribution.

To evaluate the quality of our results for both MWMP and MTSP, we employ a number of additional methods, including the following:

- *An extensive local search by use of the chained Lin-Kernighan method* yields only small improvements of our heuristic solutions. This provides experimental evidence that a large amount of computation time will only lead to marginal improvements of our heuristic solutions.
- *An improved upper bound* (that is more time-consuming to compute) indicates that the remaining gap between the fast feasible solutions and the fast upper bounds is too pessimistic on the quality of the heuristic, since the gap seems to be mostly due to the difference between the optimum and the upper bound.
- *A polyhedral result on the structure of optimal solutions* to the MWMP allows the computation of the exact optimum by using a network simplex method, instead of employing Edmonds’ blossom algorithm. This result (stating that there is always an integral optimum of the standard LP relaxation for planar geometric instances of the MWMP) is interesting in its own right and was observed previously by Tamir and Mitchell [17]. A comparison for mid-sized instances with less than 10,000 nodes shows that the estimated gap for the feasible solutions computed by our fast heuristic is much larger than the real difference to the optimum of the MWMP, which turns out to be at most 0.26%, even for clustered instances. Moreover, twice the optimum solution for the MWMP is also an upper bound for the MTSP. For both problems, this provides

more evidence that additional computing time will almost entirely be used for lowering the fast upper bound on the maximization problem, while the feasible solution changes only little.

In addition, we provide a number of mathematical tools to make the results for the MWMP applicable to the MTSP. These results include:

1. The worst-case estimate for the ratio between $\text{MTSP}(P)$ and $\text{FWP}(P)$ is slightly worse than the one between $\text{MWMP}(P)$ and $\text{FWP}(P)$, since there are instances where we have $\text{FWP}(P)/\text{MWMP}(P) = 2/(2 + \sqrt{2}) \approx 0.586 > 0.577 \approx 1/\sqrt{3}$. However, we show that for large n , the asymptotic worst-case performance for the MTSP is the same as for the MWMP. This means that the worst-case gap for our heuristic is also bounded by 15%, and not by 17%, as suggested by the above example.
2. For a planar set of points that are sorted in convex position (i.e., the vertices of a polyhedron in cyclic order), we can solve the MWMP and the MTSP in linear time.

This theorem is used for an MTSP heuristic of similar quality as the one for the MWMP.

2 Minimum Stars and Maximum Matchings

2.1 Background and Algorithm

Consider a set P of points in \mathbb{R}^2 of even cardinality n . The Fermat-Weber Problem (FWP) is given by minimizing the total Euclidean distance $\text{FWP}(P) = \min_{c \in \mathbb{R}^2} \sum_{p \in P} d(c, p)$ of a “median” point c to all points in P . This problem cannot be solved to optimality by methods using only radicals, since it requires to find zeroes of high-order polynomials, even for instances that are symmetric to the y -axis; see [3]. However, the objective function is strictly convex, so it is possible to solve the problem numerically with

any required amount of accuracy. A simple binary search will do, but there are more specific approaches like the so-called Weiszfeld iteration [20, 12]. We achieved the best results by using Newton’s method.




Figure 1: Angles and rays for a matching edge (p_i, p_j) .

Now we discuss the relationship to the MWMP on the same point set, where we assume that n is even. Any matching edge between two points p_i and p_j can be mapped to two “rays” (c, p_i) and (c, p_j) of the star, so it follows from triangle inequality that $\text{MWMP}(P) \leq \text{FWP}(P)$. Clearly, the ratio between the values $\text{MWMP}(P)$ and $\text{FWP}(P)$ depends on the amount of “shortcutting” that happens when replacing pairs of rays by matching edges; moreover, any lower bound for the angle ϕ_{ij} between the rays for a matching edge is mapped directly to a worst-case estimate for the ratio, since it follows from elementary trigonometry that $d(c, p_i) + d(c, p_j) \leq \sqrt{\frac{2}{1 - \cos \phi_{ij}}} \cdot d(p_i, p_j)$. See Figure 1.

It was shown in [10] that there is always a matching such $\phi_{ij} \geq 2\pi/3$ for all angles ϕ_{ij} between rays. This bound can be used to prove that $\frac{\text{FWP}(P)}{\text{MWMP}(P)} \leq \frac{2}{\sqrt{3}} \approx 1.15$. Moreover, if the lower bound on the angle can be improved, we get a better estimate for the value of the matching. This motivates the heuristic CROSS for large-scale MWMP instances that is shown in Figure 2. See Figure 3 for a heuristic solution for the TSPLIB instance dsj1000.

Note that beyond a critical accuracy, the numerical method used in step 1 will not affect the value of the matching, since the latter only changes when the order type of the resulting center point c changes with respect to P . This means that spending more running time for this

Algorithm CROSS: Heuristic solution for MWMP

Input: A set of points $P \in \mathbb{R}^2$.

Output: A matching of P .

1. Using a numerical method, find a point c that approximately minimizes the convex function $\min_{c \in \mathbb{R}^2} \sum_{p_i \in P} d(c, p_i)$.
2. Sort the set P by angular order around c .
Assume the resulting order is p_1, \dots, p_n .
3. For $i = 1, \dots, n/2$, match point p_i with point $p_{i+\frac{n}{2}}$.

Figure 2: The heuristic CROSS.

step will only lower the upper bound. We will encounter more examples of this phenomenon below.




Figure 3: A heuristic MWMP solution for the TSPLIB instance dsj1000 that is within 0.19% of the optimum.

The class of examples in Figure 4 shows that the relative error estimate of about 15% is indeed best possible, since the ratio between optimal and heuristic matching may get arbitrarily close to $2/\sqrt{3}$. As we will see further down, this worst-case scenario is highly unlikely and the actual error is much smaller.

Furthermore, it is not hard to see that CROSS is optimal if the points are in convex position:

Theorem 2.1 *If the point set P is in convex position, then algorithm CROSS determines the unique optimum.*




Figure 4: A class of examples for which CROSS is 15% away from the optimum.

For a proof, observe that any pair of matching edges must be crossing, otherwise we could get an improvement by performing a 2-exchange.

2.2 Improving the Upper Bound

When using the value $FWP(P)$ as an upper bound for $MWMP(P)$, we compare the matching edges with pairs of rays, with equality being reached if the angle enclosed between rays is π , i.e., for points that are on opposite sides of the center point c . However, it may well be the case that there is no point opposite to a point p_i . In that case, we have an upper bound on $\max_j \phi_{ij}$, and we can lower the upper bound $FWP(P)$ – see Figure 5: Replace $d(c, p_i)$ by $d - \frac{\min_{j \neq i} (d(c, p_i) + d(c, p_j) - d(p_i, p_j))}{2}$.

Moreover, we can optimize over the possible location of point c . This lowers the value of the upper bound $FWP(P)$, yielding the improved upper bound $FWP'(P)$:




Figure 5: Improving the upper bound.

$$FWP'(P) = \min_{c \in \mathbb{R}^2} \sum_{p_i \in P} d(c, p_i) - \frac{\min_{j \neq i} (d(c, p_i) + d(c, p_j) - d(p_i, p_j))}{2}.$$

This yields a notable improvement, especially for clustered instances. However, the running time for computing this modified upper bound $FWP'(P)$ is superquadratic. Therefore, this approach is only useful for mid-sized instances, and when there is sufficient time.

2.3 An Integrality Result

A standard approach in combinatorial optimization is to model a problem as an integer program, then solve the linear programming relaxation. As it turns out, this works particularly well for the MWMP:

Theorem 2.2 *Let x be a set of nonnegative edge weights that is optimal for the standard linear programming relaxation of the MWMP, where all vertices are required to be incident to a total edge weight of 1. Then the weight of x is equal to an optimal integer solution of the MWMP.*

This theorem has been observed previously by Tamir and Mitchell [17]. The proof assumes the existence of two fractional odd cycles, then establishes the existence of an improving 2-exchange by a combination of parity arguments.

This allows it to compute the exact optimum by solving a linear program. For the MWMP, this amounts to solving a network flow problem, which can be done by using a network simplex method.

2.4 Computational Experiments

Table 1 summarizes some of our results for the MWMP for three classes of instances: The first type are the instances from the TSPLIB benchmark library. (For odd cardinality TSPLIB instances, we followed the custom of dropping the last point from the list.) The second type was constructed by choosing n points in a unit square uniformly at random. The third type uses n points that are chosen by selecting random points from a relatively small number of “cluster” areas; these are circles of radius 0.05 (if points are in a unit square), and the average number of clusters per instance is 5. Within each circle, some almost uniform random distribution is used.

The table shows a comparison of the Star upper bound with different Matchings: In the first column the CROSS heuristic was used to compute the matching. In the second column we report the corresponding computing times on a Pentium II 500Mhz (using C code with compiler gcc -O3 under Linux 2.2). The third column gives the result of combining the CROSS matching with one hour of local search by chained Lin-Kernighan [16]. The last column compares the optimum computed by a network simplex using Theorem 2.2 with the upper bound (for $n < 10,000$).

The reader will note that for uniform distribution, the relative error rapidly converges to zero. This is to be expected: for uniform distribution, the expected angle $\angle(p_i, c, p_{i+\frac{n}{2}})$ becomes arbitrarily close to π . In more explicit terms: Both values FWP/n and $MWMP/n$ for random points in a unit square tend to $\int_{-1/2}^{1/2} \int_{-1/2}^{1/2} \sqrt{x^2 + y^2} dx dy \approx 0.3826$.

Note that for cluster instances, the relatively large error estimate is almost entirely due to limited performance of the upper bound. The good quality of our fast heuristic for large problems is also illustrated by the fact that one hour of local search by Lin-Kernighan fails to provide any significant improvement.

Instance	CROSS vs. Star	time	CROSS + 1h Lin-Ker	CROSS vs. OPT
dsj1000	1.22%	0.05 s	1.07%	0.19%
nrv1378	0.05%	0.05 s	0.04%	0.01%
fnl4460	0.34%	0.13 s	0.29%	0.05%
usa13508	0.21%	0.64 s	0.19%	-
brd14050	0.67%	0.59 s	0.61%	-
d18512	0.14%	0.79 s	0.13%	-
pla85900	0.03%	3.87 s	0.03%	-
1000	0.03%	0.05 s	0.02%	0.02%
3000	0.01%	0.14 s	0.01%	0.00%
10000	0.00%	0.46 s	0.00%	-
30000	0.00%	1.45 s	0.00%	-
100000	0.00%	5.01 s	0.00%	-
300000	0.00%	15.60 s	0.00%	-
1000000	0.00%	53.90 s	0.00%	-
3000000	0.00%	159.00 s	0.00%	-
1000c	2.90%	0.05 s	2.82%	0.11 %
3000c	1.68%	0.15 s	1.59%	0.26 %
10000c	3.27%	0.49 s	3.24%	-
30000c	1.63%	1.69 s	1.61%	-
100000c	2.53%	5.51 s	2.52%	-
300000c	1.05%	17.51 s	1.05%	-

Table 1: Maximum matching results for TSPLIB (top), uniform random (center), and clustered random instances (bottom)

3 The Maximum TSP

As we noted in the introduction, the geometric MTSP displays some peculiar properties when distances are measured according to some polyhedral norm. In fact, it was shown by Fekete [9] that for the case of Manhattan distances in the plane, the MTSP can be solved in linear time. (The algorithm is based in part on the observation that for planar Manhattan distances, $\text{FWP}(P) = \text{MWMP}(P)$.) On the other hand, it was shown in the same paper that for Euclidean distances in \mathbb{R}^3 or on the surface of a sphere, the MTSP is NP-hard. The MTSP has also been conjectured to be NP-hard for the case of Euclidean distances in \mathbb{R}^2 .

3.1 A Worst-Case Estimate

Clearly, there are some observations for the MWMP that can be applied to the MTSP. In particular, we note that $\text{MTSP}(P) \leq 2\text{FWP}(P)$. On the other hand, the lower-bound estimate of $\sqrt{3}/2 * \text{FWP}(P)$ that holds for $\text{MWMP}(P)$ does not imply a lower bound of $\sqrt{3}\text{FWP}(P)$ for the $\text{MTSP}(P)$, as can be seen from the example in

Figure 6, showing that a relative error of 17% is possible.




Figure 6: An example for which the ratio between MTSP and FWP is smaller than $\sqrt{3} \approx 1.73$.

However, we can argue that asymptotically, the worst-case ratio $\text{FWP}(P)/\text{MTSP}(P)$ is analogous to the $\frac{2}{\sqrt{3}}$ for the MWMP, i.e., within 15% of 2:

Theorem 3.1 *For $n \rightarrow \infty$, the worst-case ratio of $\text{FWP}(P)/\text{MTSP}(P)$ converges to $1/\sqrt{3}$.*

Proof: The proof of the $\frac{2}{\sqrt{3}}$ bound for the MWMP in [10] establishes that any planar point set can be subdivided by six sectors of $\pi/3$ around one center point, such that opposite sectors have the same number of points. This allows a matching between opposite sectors, establishing a lower bound of $2\pi/3$ for the angle between the corresponding rays. This means that we can simply choose three subtours, one for each pair of opposite sectors, and achieve the same worst-case ratio as for a matching. In order to merge these subtours, we only need three edges between adjacent sectors. If there more than $n/2$ points “far” from the center, i.e., at least $\Omega(\text{FWP}(P)/n)$ away from the center, then the resulting error tends to 0 as n grows, and we get the same worst-case estimate as for the MWMP.

This leaves the case that at least $n/2$ points are “close” to the center, i.e., only $o(\text{FWP}(P)/n)$ from the center. Then we can collect all points far from the center individually from the cluster close to the center. Now it is not hard to see that for this case, the length of the resulting tour converges to $\text{FWP}(P)$. \square

3.2 A Modified Heuristic

For an even number of points in convex position, the choice of a maximum matching is rather straightforward. This leads to the CROSS heuristic described above. Similarly, it is easy to determine a maximum tour if we are dealing with an odd number of points in convex position: Each point p_i gets connected to its two “cyclic furthest neighbors” $p_{i+\lfloor \frac{n}{2} \rfloor}$ and $p_{i+\lceil \frac{n}{2} \rceil}$. However, the structure of an optimal tour is less clear for a point set of even cardinality, and therefore it is not obvious what permutations should be considered for an analogue to the matching heuristic CROSS. For this we consider the local modification called *2-exchanges*: One pair of (disjoint) tour edges (p_i, p_j) and (p_k, p_ℓ) gets replaced by the pair (p_i, p_k) and (p_j, p_ℓ) , and the sequence p_ℓ, \dots, p_i is reversed into p_i, \dots, p_ℓ .

Theorem 3.2 *If the point set P is sorted in convex position, then there are at most $n/2$ tours that are locally optimal with respect to 2-exchanges, and we can determine the best in linear time.*

Proof: We claim that any tour that is locally optimal with respect to 2-exchanges must look like the one in Figure 8: It consists of two *diagonals* $(p_i, p_{i+\frac{n}{2}})$ and $(p_{i+1}, p_{i+1+\frac{n}{2}})$ (in the example, these are the edges $(5, 11)$ and $(6, 0)$), while all other edges are *near-diagonals*, i.e., edges of the form $(p_j, p_{j+\frac{n}{2}-1})$.




Figure 8: A locally optimal MTSP tour.

First consider 2-exchanges that increase the tour length: It is an easy consequence of triangle inequality that a noncrossing disjoint “antiparallel” pair of edges as e_0 and e_1 in Figure 9(a) allows a crossing 2-exchange that increases the

overall tour length. In the following, we will focus on identifying antiparallel noncrossing edge pairs.




Figure 9: Discussing locally optimal tours.

Now we show that all edges in a locally optimal tour must be diagonals or near-diagonals: Consider an edge $e_0 = (p_i, p_j)$ with $0 < j - i \leq \frac{n}{2} - 2$. Then there are at most $\frac{n}{2} - 3$ points in the subset $P_1 = [p_{i+1}, \dots, p_{j-1}]$, but at least $\frac{n}{2} + 1$ points in the subset $P_2 = [p_{j+1}, \dots, p_{i-1}]$. This implies that there must be at least two edges (say, e_1 and e_2) within the subset P_2 . If either of them is antiparallel to e_0 , we are done, so assume that both of them are parallel. Without loss of generality assume that the head of e_2 lies “between” the head of e_1 and the head p_j of e_0 , as shown in Figure 9(b). Then the edge e_3 that is the successor of e_2 in the current tour is either antiparallel and noncrossing with e_1 , or with e_0 .

Next consider a tour that consists only of diagonals and near-diagonals. Since there is only one 2-factor consisting of nothing but near-diagonals, assume without loss of generality that there is at least one diagonal, say $(p_0, p_{\frac{n}{2}})$. Then the successor of $p_{\frac{n}{2}}$ and the predecessor of p_0 cannot lie on the same side of e_0 , as shown in Figure 9. In that case, there must be an edge e_3 within the set of points on the other side of e_0 . This edge is noncrossing with both e_0 and e_1 ; either it is antiparallel to e_0 or to e_1 , and we are done.

This implies that the existence of a diagonal in the tour and one of two possible choices of near-diagonals as the edge succeeding the diagonal in the tour determines the rest of the tour. Now it is straightforward to check that the resulting tour must look as in Figure 8, concluding the proof. \square

Algorithm CROSS': Heuristic solution for MTSP

Input: A set of points $P \in \mathbb{R}^2$.

Output: A tour of P .

1. Using a numerical method, find a point c that approximately minimizes the convex function $\min_{c \in \mathbb{R}^2} \sum_{p_i \in P} d(c, p_i)$.
2. Sort the set P by angular order around c .
Assume the resulting order is p_1, \dots, p_n .
3. For $i = 1, \dots, n$, connect point p_i with point $p_{i+\frac{n}{2}-1}$.
Compute the resulting total length L .
4. Compute $D = \max_{i=1}^n [d(p_i, p_{i+\frac{n}{2}}) + d(p_{i+1}, p_{i+1+\frac{n}{2}}) - d(p_i, p_{i+\frac{n}{2}-1}) - d(p_{i+1}, p_{i+\frac{n}{2}})]$.
5. Choose the tour of length $L + D$ that arises by picking the two diagonals where the maximum in 4. is attained.

Figure 7: The heuristic CROSS'

This motivates a heuristic analogous to the one for the MWMP. For simplicity, we call it CROSS'. See Figure 7. From Theorem 3.2 it is easy to see that the following holds:

Corollary 3.1 *If the point set P is in convex position, then algorithm CROSS' determines the optimum.*

3.3 No Integrality

As the example in Figure 10 shows, there may be fractional optima for the subtour relaxation of the MTSP. The fractional solution consists of all diagonals (with weight 1) and all near-diagonals (with weight 1/2). It is easy to check that this solution is indeed a vertex of the subtour polytope, and that it beats any integral solution. (See [5] on this matter.) This implies that there is no simple analogue to Theorem 2.2 for the MWMP, and we do not have a polynomial method that can be used for checking the optimal solution for small instances.

3.4 Computational Results

The results are of similar quality as for the MWMP. See Table 2. Here, we only give the




Figure 10: A fractional optimum for the subtour relaxation of the MTSP.

results for the seven most interesting TSPLIB instances. Since we do not have a comparison with the optimum for small instances, we give a comparison with the upper bound 2MAT, denoting twice the optimal solution for the MWMP. As before, this was computed by a network simplex method, exploiting the integrality result for planar MWMP. The results show that here, too, most of the remaining gap lies on the side of the upper bound.

Acknowledgements

We thank Jens Vygen and Sylvia Boyd for helpful discussions, and Joe Mitchell for pointing out

Instance	CROSS' vs. Star	time	CROSS' + 1h Lin-Ker	CROSS' vs. 2MAT
dsj1000	1.36%	0.05 s	1.10%	0.329%
nrw1379	0.23%	0.01 s	0.20%	0.194%
fnl4461	0.34%	0.12 s	0.31%	0.053%
usa13509	0.21%	0.63 s	0.19%	-
brd14051	0.67%	0.46 s	0.64%	-
d18512	0.15%	0.79 s	0.14%	-
pla85900	0.03%	3.87 s	0.03%	-

Table 2: Maximum TSP results for TSPLIB instances

his paper [17].

References

- [1] D. Applegate, R. Bixby, V. Chvátal, and W. Cook. On the Solution of Traveling Salesman Problems. *Doc.Math.J.DMV*, Extra Volume ICM III (1998), 645–656.
- [2] S. Arora. Polynomial time approximation schemes for Euclidean TSP and other geometric problems. *Proc. 37th Annu. IEEE Sympos. Found. Comput. Sci.*, (1996), 2–11.
- [3] C. Bajaj. The algebraic degree of geometric optimization problems. *Discrete and Computational Geometry*, **3** (1988), 177–191.
- [4] A. I. Barvinok, D. S. Johnson, G. J. Woeginger, and R. Woodroffe. The Maximum TSP under polyhedral norms. *Proc. IPCO 1998*, Springer LNCS 1412, 195–201.
- [5] S. Boyd and W. R. Pulleyblank. Optimizing over the subtour polytope of the traveling salesman problem. *Mathematical Programming*, **49** (1991), 163–187.
- [6] W. Cook and A. Rohe. Computing minimum-weight perfect matchings. *INFORMS Journal on Computing* **11** (1999) 138–148. .
- [7] J. Edmonds. Paths, trees, and flowers. *Can. J. Mathematics*, **17** (1965), 449–467.
- [8] J. Edmonds. Maximum matching and a polyhedron with 0,1-vertices. *Journal of Research of the National Bureau of Standards (B)*, **69** (1965), 125–130.
- [9] S. P. Fekete. Simplicity and hardness of the Maximum TSP under geometric distances. *Proc. SODA 1999*, 337–345.
- [10] S. P. Fekete and H. Meijer. On Minimum Stars, Minimum Steiner Stars, and Maximum Matchings. *Discrete and Computational Geometry*, **23** (2000), 389–407.
- [11] H. N. Gabow. Data Structures for weighted matching and nearest common ancestors with linking. *Proc. SODA 1990*, 434–443.
- [12] H. W. Kuhn. A note on Fermat’s problem. *Mathematical Programming*, **4** (1973), 98–107.
- [13] A. Löbel. Solving large-scale real-world minimum-cost flow problems by a network simplex method. *ZIB Preprint SC 96-7*, 1996.
- [14] K. Mehlhorn and G. Schäfer. Implementation of $O(nm \log n)$ weighted matchings—The power of data structures. *Proc. WAE 2000*, Springer LNCS, 2000.
- [15] J. S. B. Mitchell. Guillotine subdivisions approximate polygonal subdivisions: A simple polynomial-time approximation scheme for geometric TSP, k -MST, and related problems. *SIAM J. Comput.*, **28** (1999), 1298–1309.
- [16] A. Rohe. Parallele Heuristiken für sehr große Traveling Salesman Probleme. *Diploma thesis*, Universität Bonn, 1997, 33–49.
- [17] A. Tamir and J. S. B. Mitchell. A maximum b -matching problem arising from median location models with applications to the roommates problem. *Mathematical Programming*, **80** (1998), 171–194.
- [18] P. M. Vaidya. Geometry helps in matching. *SIAM J. Comput.*, **18** (1989), 1201–1225.
- [19] K. R. Varadarajan. A divide-and-conquer-algorithm for min-cost perfect matching in the plane. *Proc. Found. Comp. Science*, **39** (1998), 320–329.
- [20] E. Weiszfeld. Sur le point pour lequel la somme des distances de n points donnés est minimum. *Tôhoku Mathematics Journal*, **43** (1937), 355–386.

Reports from the group

“Combinatorial Optimization and Graph Algorithms”

of the Department of Mathematics, TU Berlin

- 698/2000** *Sándor P. Fekete, Ekkehard Köhler, and Jürgen Teich*: More-dimensional packing with order constraints
- 697/2000** *Sándor P. Fekete, Ekkehard Köhler, and Jürgen Teich*: Extending partial suborders and implication classes
- 696/2000** *Sándor P. Fekete, Ekkehard Köhler, and Jürgen Teich*: Optimal FPGA module placement with temporal precedence constraints
- 695/2000** *Sándor P. Fekete, Henk Meijer, André Rohe, and Walter Tietze*: Solving a “hard” problem to approximate an “easy” one: heuristics for maximum matchings and maximum Traveling Salesman Problems
- 694/2000** *Esther M. Arkin, Sándor P. Fekete, Ferran Hurtado, Joseph S. B. Mitchell, Marc Noy, Vera Sacristánm and Saurabh Sethia*: On the reflexivity of point sets
- 693/2000** *Frederik Stork and Marc Uetz*: On the representation of resource constraints in project scheduling
- 691/2000** *Martin Skutella and Marc Uetz*: Scheduling precedence constrained jobs with stochastic processing times on parallel machines
- 689/2000** *Rolf H. Möhring, Martin Skutella, and Frederik Stork*: Scheduling with AND/OR precedence constraints
- 685/2000** *Martin Skutella*: Approximating the single source unsplittable min-cost flow problem
- 684/2000** *Han Hoogeveen, Martin Skutella, and Gerhard J. Woeginger*: Preemptive scheduling with rejection
- 683/2000** *Martin Skutella*: Convex quadratic and semidefinite programming relaxations in Scheduling
- 682/2000** *Rolf H. Möhring and Marc Uetz*: Scheduling scarce resources in chemical engineering
- 681/2000** *Rolf H. Möhring*: Scheduling under uncertainty: optimizing against a randomizing adversary
- 680/2000** *Rolf H. Möhring, Andreas S. Schulz, Frederik Stork, and Marc Uetz*: Solving project scheduling problems by minimum cut computations (Journal version for the previous Reports 620 and 661)
- 674/2000** *Esther M. Arkin, Michael A. Bender, Erik D. Demaine, Sándor P. Fekete, Joseph S. B. Mitchell, and Saurabh Sethia*: Optimal covering tours with turn costs
- 669/2000** *Michael Naatz*: A note on a question of C. D. Savage
- 667/2000** *Sándor P. Fekete and Henk Meijer*: On geometric maximum weight cliques
- 666/2000** *Sándor P. Fekete, Joseph S. B. Mitchell, and Karin Weinbrecht*: On the continuous Weber and k -median problems
- 664/2000** *Rolf H. Möhring, Andreas S. Schulz, Frederik Stork, and Marc Uetz*: A note on scheduling problems with irregular starting time costs
- 661/2000** *Frederik Stork and Marc Uetz*: Resource-constrained project scheduling: from a Lagrangian relaxation to competitive solutions

- 658/1999** *Olaf Jahn, Rolf H. Möhring, and Andreas S. Schulz*: Optimal routing of traffic flows with length restrictions in networks with congestion
- 655/1999** *Michel X. Goemans and Martin Skutella*: Cooperative facility location games
- 654/1999** *Michel X. Goemans, Maurice Queyranne, Andreas S. Schulz, Martin Skutella, and Yaoguang Wang*: Single machine scheduling with release dates
- 653/1999** *Andreas S. Schulz and Martin Skutella*: Scheduling unrelated machines by randomized rounding
- 646/1999** *Rolf H. Möhring, Martin Skutella, and Frederik Stork*: Forcing relations for AND/OR precedence constraints
- 640/1999** *Foto Afrati, Evripidis Bampis, Chandra Chekuri, David Karger, Claire Kenyon, Sanjeev Khanna, Ioannis Milis, Maurice Queyranne, Martin Skutella, Cliff Stein, and Maxim Sviridenko*: Approximation schemes for minimizing average weighted Completion time with release dates
- 639/1999** *Andreas S. Schulz and Martin Skutella*: The power of α -points in preemptive single machine scheduling
- 634/1999** *Karsten Weihe, Ulrik Brandes, Annegret Liebers, Matthias Müller–Hannemann, Dorothea Wagner and Thomas Willhalm*: Empirical design of geometric algorithms
- 633/1999** *Matthias Müller–Hannemann and Karsten Weihe*: On the discrete core of quadrilateral mesh refinement
- 632/1999** *Matthias Müller–Hannemann*: Shelling hexahedral complexes for mesh generation in CAD
- 631/1999** *Matthias Müller–Hannemann and Alexander Schwartz*: Implementing weighted b -matching algorithms: insights from a computational study
- 629/1999** *Martin Skutella*: Convex quadratic programming relaxations for network scheduling problems
- 628/1999** *Martin Skutella and Gerhard J. Woeginger*: A PTAS for minimizing the total weighted completion time on identical parallel machines
- 627/1998** *Jens Gustedt*: Specifying characteristics of digital filters with FilterPro
- 620/1998** *Rolf H. Möhring, Andreas S. Schulz, Frederik Stork, and Marc Uetz*: Resource constrained project scheduling: computing lower bounds by solving minimum cut problems
- 619/1998** *Rolf H. Möhring, Martin Oellrich, and Andreas S. Schulz*: Efficient algorithms for the minimum-cost embedding of reliable virtual private networks into telecommunication networks
- 618/1998** *Friedrich Eisenbrand and Andreas S. Schulz*: Bounds on the Chvátal rank of polytopes in the 0/1-Cube
- 617/1998** *Andreas S. Schulz and Robert Weismantel*: An oracle-polynomial time augmentation algorithm for integer programming
- 616/1998** *Alexander Bockmayr, Friedrich Eisenbrand, Mark Hartmann, and Andreas S. Schulz*: On the Chvátal rank of polytopes in the 0/1 cube
- 615/1998** *Ekkehard Köhler and Matthias Kriesell*: Edge-dominating trails in AT-free graphs
- 613/1998** *Frederik Stork*: A branch and bound algorithm for minimizing expected makespan in stochastic project networks with resource constraints
- 612/1998** *Rolf H. Möhring and Frederik Stork*: Linear preselective policies for stochastic project scheduling
- 611/1998** *Rolf H. Möhring and Markus W. Schäffter*: Scheduling series-parallel orders subject to 0/1-communication delays
- 609/1998** *Arfst Ludwig, Rolf H. Möhring, and Frederik Stork*: A computational study on bounding the makespan distribution in stochastic project networks

- 605/1998** *Friedrich Eisenbrand*: A note on the membership problem for the elementary closure of a polyhedron
- 596/1998** *Andreas Fest, Rolf H. Möhring, Frederik Stork, and Marc Uetz*: Resource constrained project scheduling with time windows: A branching scheme based on dynamic release dates
- 595/1998** *Rolf H. Möhring, Andreas S. Schulz, and Marc Uetz*: Approximation in stochastic scheduling: The power of LP-based priority policies
- 591/1998** *Matthias Müller-Hannemann and Alexander Schwartz*: Implementing weighted b -matching algorithms: Towards a flexible software design
- 590/1998** *Stefan Felsner and Jens Gustedt and Michel Morvan*: Interval reductions and extensions of orders: bijections to chains in lattices
- 584/1998** *Alix Munier, Maurice Queyranne, and Andreas S. Schulz*: Approximation bounds for a general class of precedence constrained parallel machine scheduling problems
- 577/1998** *Martin Skutella*: Semidefinite relaxations for parallel machine scheduling

Reports may be requested from: Hannelore Vogt-Möller
 Fachbereich Mathematik, MA 6–1
 TU Berlin
 Straße des 17. Juni 136
 D-10623 Berlin – Germany
 e-mail: moeller@math.TU-Berlin.DE

Reports are also available in various formats from

<http://www.math.tu-berlin.de/coga/publications/techreports/>

and via anonymous ftp as

<ftp://ftp.math.tu-berlin.de/pub/Preprints/combi/Report-number-year.ps>